

INTRODUCING THE MAC INTERNATIONAL  
**MOBILE & STATIC  
PRESSURE WASHER RANGE**



# THE B&G AVANT HOT MOBILE PRESSURE WASHER

## KEY SPECIFICATION


- 12ltr, 15ltr, 21ltr or 9ltr/min Water Flow
- 100bar/1500psi or 200bar/3000psi Pressure
- 110v, 240v or 415v Power Supply
- High Efficiency M2 Boiler System
- Heavy Duty Steel Chassis and High Quality Stainless Steel Cover

## STANDARD FEATURES

- Heavy-duty steel chassis
- Stainless steel cover
- 4 large robust anti-shock wheels for tough terrain
- Large 31ltr easy fill fuel tank with low level sensor
- High Efficiency M2 boiler system & double spiral coil
- High pressure chemical system
- Steam stage with low pressure steam valve
- ST66 chemical valve for improved calibration
- Professional Interpump with ceramic pistons
- Industrial 1450rpm 4 pole electric Nicolini motor
- Automatic stop/start system
- Bypass valve and safety valve
- Pressure gauge
- Burner control with flow switch and thermostat
- 24v low tension safety controls
- Low level fuel warning lamp with burner shut down
- Mains power on lamp
- Including 10mt high pressure hose, single lance and RL37 washgun with swivel



HIGH EFFICEINCY BOILER WITH INCREASED WATER TEMPERATURE AND REDUCED FUEL COSTS & EMISSIONS



OPTIONAL STAINLESS STEEL HOSE REEL

	MAC1	MAC5	MAC49
Water Flow	12lt/min	15lt/min	21lt/min
Pressure	100bar, 1500psi	200bar, 3000psi	200bar, 3000psi
Motor Specification	3hp, 1450rpm	7.5hp, 1450rpm	10hp, 1450rpm
Chemical	High Pressure	High Pressure	High Pressure
Shutdown System	Auto Stop/Start	Auto Stop/Start	Auto Stop/Start
Temperature	0-150°C	0-150°C	0-150°C
Power	240v	415v	415v
Weight	120kg	130kg	140kg
Dimensions (h x w x d)	85 x 63 x 100cm	85 x 63 x 100cm	85 x 63 x 100cm

# THE B&G PLANTMASTER HOT STATIC PRESSURE WASHER

## KEY SPECIFICATION

- 12ltr, 15ltr or 21ltr/min Water Flow
- 100bar/1500psi or 200bar/3000psi Pressure
- High Efficiency M2 Boiler System
- Automatic Stop/Start Safety System
- High Quality Painted Steel Cabinet

## STANDARD FEATURES

- Full frost protection and cabinet lagging
- High Efficiency M2 boiler system
- Double spiral M2 coil
- Automatic stop/start system
- High pressure chemical system
- Professional interpump with ceramic pistons
- Industrial 1450rpm 4 pole electric Nicolini motor
- Flame failure and leak detection system
- 16lt fuel tank with low level sensor
- Burner control with flow switch and thermostat
- 24v low tension safety controls
- Mains power on lamp

## CABINET FINISH

- Powder coated steel cabinet with lockable controls
- High quality matte paint finish
- Lockable powder coated steel front door
- Zinc phosphate steel pre-treatment for weather proofing



### UPGRADE TO THE FULL STAINLESS STEEL PLANTMASTER S.S.



HIGH EFFICIENCY BOILER WITH  
INCREASED WATER TEMPERATURE AND  
REDUCED FUEL COSTS & EMISSIONS

	PLANTMASTER1	PLANTMASTER2	PLANTMASTER4
Water Flow	12lt/min	15lt/min	21lt/min
Pressure	100bar, 1500psi	200bar, 3000psi	200bar, 3000psi
Motor Specification	3hp, 1450rpm	7.5hp, 1450rpm	10hp, 1450rpm
Chemical	High Pressure	High Pressure	High Pressure
Shutdown System	Auto Stop/Start	Auto Stop/Start	Auto Stop/Start
Temperature	0-100°C	0-100°C	0-100°C
Power	240v	415v	415v
Weight	230kg	250kg	270kg
Dimensions (h x w x d)	160 x 82 x 56cm	160 x 82 x 56cm	160 x 82 x 56cm

# THE B&G DROP REVOLUTION

HOT MOBILE PRESSURE WASHER

## KEY SPECIFICATION

- 11ltr/min Water Flow,
- 120bar/1740psi Pressure
- High Quality Annovi Reverberi Pump
- High Pressure Chemical System
- Automatic Stop/Start Safety System



MAC18/RA

Water Flow	11lt/min
Pressure	120bar, 1740psi
Motor Specification	3hp, 1450rpm
Chemical	High Pressure
Shutdown System	Auto Stop/Start
Temperature	0-100°C
Power	240v
Weight	90kg
Dimensions (h x w x d)	86 x 60 x 90cm

HIGH QUALITY ANNOVI  
REVERBERI RC 11.17 PUMP

## STANDARD FEATURES

- Tough GRP plastic chassis and cover
- Efficient M1 boiler system with double spiral coil
- 4 large robust wheels for tough terrain
- High pressure detergent system
- 7lt Internal detergent tank
- 22lt Internal fuel tank
- Stainless steel water header tank with type AB airgap
- High quality Annovi Reverberi RC 11.17 pump
- Industrial 1450rpm low revving 4 pole Nicolini motor
- Automatic Stop/Start safety system
- Bypass valve and safety valve
- Burner control with pressure switch and thermostat
- Pressure gauge
- Including 10mt high pressure hose, single lance and heavy duty trigger

# THE B&G ATOM XL

COLD MOBILE PRESSURE WASHER

## KEY SPECIFICATION

- Stainless Steel Cover with Steel Chassis
- High Quality Annovi Reverberi Pump
- Low Revving 1450rpm Industrial Motor
- Automatic Stop/Start Safety System



MAC154

MAC155

Water Flow	11lt/min	15lt/min
Pressure	120bar, 1740psi	150bar, 2200psi
Motor Specification	3hp, 1450rpm	5.5hp, 1450rpm
Chemical	High Pressure	High Pressure
Shutdown System	Auto Stop/Start	Auto Stop/Start
Power	240v	415v
Weight	70kg	80kg
Dimensions (h x w x d)	95 x 50 x 80cm	95 x 50 x 80cm

## STANDARD FEATURES

- Painted steel chassis
- Stainless steel cover
- Automatic Stop/Start safety system
- 2 large robust wheels for tough terrain
- High pressure chemical system
- Reliable Annovi Reverberi pump
- Industrial 1450rpm 4 pole electric Nicolini motor
- Bypass valve
- Current thermal overload protection
- Including 10mt high pressure hose, single lance with swash nozzle and heavy-duty trigger

**BYPASS VERSIONS ALSO AVAILABLE IN 240v  
OR 415v WITH LOW PRESSURE CHEMICAL**

**ATHERSTONE – WARWICKSHIRE** Abeles Way, Holly Lane Ind. Est., Atherstone, Warwickshire, CV9 2QZ

**UTTOXETER – STAFFORDSHIRE** Unit 1B, Marchington Ind. Est., Stubby Lane, Marchington, Uttoxeter, Staffordshire, ST14 8LP

**DUDLEY – WEST MIDLANDS** Unit 6, Primrose Hill Trading Estate, Cradley Road, Netherton, Dudley, West Midlands, DY2 9SA

**T: 0808 115 8215 E: sales@bgclean.co.uk www.bgclean.co.uk**